

Overview ALUCOBOND® minimum order quantities

Thickness: 4mm | Length: 2000 – 6800 mm | min. quantity per length: 100 m² | >4500 mm: 500 m² |
3 mm and 6 mm: min. 500 m²/width
all information subject to change

27.10.2025

surface			ALUCOBOND® PLUS					ALUCOBOND® A2			notes
	ref.no.	colour name	panel width					panel width			
			1000mm	1250mm	1500mm	1575mm	1750mm	1250mm	1500mm	1650mm	
			min. quantity [m²]	min. quantity [m²]	min. quantity [m²]	min. quantity [m²]	min. quantity [m²]	min. quantity [m²]	min. quantity [m²]	min. quantity [m²]	
solid & metallic	100	Pure White 10	500	100	100	500	2000 or	300	300	2000	* Not feasible in final width, max. 1540mm
	101	White 16	500	100	100	500	2000 or	300	300	2000	
	102	Creme	500	100	100	500	2000 or	300	300	2000	
	103	Beige	500	100	100	500	2000 or	300	300	2000	
	104	Light grey	500	100	100	500	2000 or	300	300	2000	
	105	Anthracite Grey	500	100	100	500	2000 or	300	300	2000	
	106	Black Grey	500	100	100	500	2000 or	300	300	2000	
	107	Umbra Grey	500	100	100	500	2000 or	300	300	2000	
	108	Graphite Grey	500	100	100	500	2000 or	300	300	2000	
	109	Dusty Grey	500	100	100	500	2000 or	300	300	2000	
	110	Quartz Grey	500	100	100	500	2000 or	300	300	2000	
	111	Signal White	500	100	100	500	2000 or	300	300	2000	
	112	Basalt grey	500	100	100	500	2000 or	300	300	2000	
	136	Platinum grey	500	100	100	500	2000 or	300	300	2000	
	200	Lemon	500	500	100	500	2000 or	500	300	2000	
	201	Red	500	500	100	500	2000 or	500	300	2000	
	202	Ruby	500	500	100	500	2000 or	500	300	2000	
	210	Orange	500	500	100	500*		500	300		
	313	Yellowgreen	500	500	100	500		500	300		
	317	Moss Green	500	500	100	500	2000 or	500	300	2000	
	326	Black	500	100	100	500	2000 or	300	300	2000	
	337	Grey Brown	500	500	100	500	2000 or	500	300	2000	
	350	Steelblue	500	500	100	500	2000 or	500	300	2000	
	500	Silver Metallic	500	100	100	500	2000 or	300	300	2000	Installation of panels always in the same direction. Do not mix batches of metallic colours to avoid colour variations.
	501	Smoke Silver Metallic	500	100	100	500	2000 or	300	300	2000	
	502	Grey Metallic	500	100	100	500	2000 or	300	300	2000	
	503	Champagne Metallic	500	100	100	500	2000 or	300	300	2000	
	504	Bronze Metallic	500	100	100	500	2000 or	300	300	2000	
metallic specials	505	Dark Grey Metallic	500	100	100	500	2000 or	300	300	2000	
	506	Steel Grey Metallix	500	100	100	500	2000 or	300	300	2000	
	600	Sunrise Silver Metallic	500	100	100	500	2000 or	300	300	2000	
	605	Colorado Gold Metallic	500	100	100	500	2000 or	300	300	2000	
	606	Atacama Bronze Metallic	500	500	100	500	2000 or	500	300	2000	
	709	Siena copper metallic	500	100	100	500	2000 or	300	300	2000	

Overview ALUCOBOND® minimum order quantities

Thickness: 4mm | Length: 2000 – 6800 mm | min. quantity per length: 100 m² | >4500 mm: 500 m² |
3 mm and 6 mm: min. 500 m²/width
all information subject to change

27.10.2025

surface			ALUCOBOND® PLUS					ALUCOBOND® A2			notes
	ref.no.	colour name	panel width					panel width			
			1000mm	1250mm	1500mm	1575mm	1750mm	1250mm	1500mm	1650mm	
			min. quantity [m²]	min. quantity [m²]	min. quantity [m²]	min. quantity [m²]	min. quantity [m²]	min. quantity [m²]	min. quantity [m²]	min. quantity [m²]	
urban	360	Traffic White approx. RAL 9016		500	300			500	500		Installation of panels always in the same direction. Do not mix, analogous to metallic colours.
	361	Window Grey approx. RAL 7040		500	300			500	500		
	362	Anthracite approx. RAL 7016		500	300			500	500		
	363	Jet Black approx. RAL 9005		500	300			500	500		
	364	Iron Oxide Red approx. RAL 3009		500	300			500	500		
terra	380	Arctic Frost		500	500			500	500		
	381	Slate		500	500			500	500		
	382	Lava Nera		500	500			500	500		
	383	Bronze		500	500			500	500		
	384	Terracotta		500	500			500	500		
	385	Pyrite		500	500			500	500		
naturAL	400	Brushed			300				300		Do not mix batches and widths to avoid colour variations.
	401	Line			300				300		
	402	Pure		300				300			
	405	Reflect		300							
	461	Havanna			300				300		
	462	Manhattan			300				300		
	470	Titanium			300				300		
	471	Copper			300				300		
anodized look	530	Anodized Look C0/EV1		500	300	500	2000 or)	500	300	2000 or)	Installation of panels always in the same direction. Do not mix, analogous to metallic colours.
	531	Anodized Look C31		500	300	500	2000 or)	500	300	2000 or)	
	532	Anodized Look C32		500	300	500	2000 or)	500	300	2000 or)	
	534	Anodized Look C34		500	300	500	2000 or)	500	300	2000 or)	
	538	Anodized Look Satin Brown		500	300	500	2000 or)	500	300	2000 or)	
	539	Anodized Look C2 Light Gold		500	300	500	2000 or)	500	300	2000 or)	
sparkling	680	White Silver MG		500	300	500		500	300		
	681	Anthracite Silver MG		500	300	500		500	300		
	682	Cosmic Grey Metallic MG		500	300	500		500	300		
	683	Black Metallic MG		500	300	500		500	300		
	684	Deepblue Metallic MG		500	300	500		500	300		
spectra	913	Cupral		500	300	500		500	300		
	917	Sakura		500	300	500		500	300		
	918	Galaxy Blue		500	300	500		500	300		
	919	White Gold		500	300	500		500	300		
	921	Desert Gold		500	300	500		500	300		
rocca	805	Meteorite		500	500			500	500		
	806	Quartzite		500	500			500	500		
	809	Graphite		500	500			500	500		
	815	Dolomite		500	500			500	500		

Overview ALUCOBOND® minimum order quantities

Thickness: 4mm | Length: 2000 – 6800 mm | min. quantity per length: 100 m² | >4500 mm: 500 m² |
3 mm and 6 mm: min. 500 m²/width
all information subject to change

27.10.2025

surface			ALUCOBOND® PLUS					ALUCOBOND® A2			notes
	ref.no.	colour name	panel width					panel width			
			1000mm	1250mm	1500mm	1575mm	1750mm	1250mm	1500mm	1650mm	
			min. quantity [m²]	min. quantity [m²]	min. quantity [m²]	min. quantity [m²]	min. quantity [m²]	min. quantity [m²]	min. quantity [m²]	min. quantity [m²]	
balcony	390	Anthracite Grey		300	300						Coated on both sides with textured laquer (identical colour)
	391	Dark Grey		300	300						
	392	Medium Grey		300	300						
	393	Light Grey		300	300						
	394	Pure White 10		300	300						
design	832 HAP	European Walnut			300				500		Directional surfaces – always install according to indication on the protective film
	840 HAP	American Walnut			300				500		
	831 HAP	Aged Oak			300				500		
	830 HAP	African Zebrano			300				500		
	835 HAP	Coco Bolo Neo			300				500		
	841 HAP	Bright Ash			300				500		
	833 HAP	Antique Pine			300				500		
	836 HAP	Alpine Oak			300				500		
	837 HAP	Dark Oak			300				500		
	838 HAP	Nebraska Oak			300				500		
	839 HAP	Mono Zebrano			300				500		
	874	Rough Concrete			300				500		
	875	Fresh Concrete			300				500		
	876	Grained Concrete			300				500		
	877	Raw Concrete			300				500		
	878 HAP	Textured Concrete			300				500		
	879 HAP	Textured Concrete Light Green			300				500		
	881 HAP	Textured Concrete Night Green			300				500		
	880	Coracero			300				500		
	870	Patina Copper			300				500		
	882	Vintage Gold			300				500		
	873	Antique Brass			300				500		
	871	Industrial Iron			300				500		
	883	Copper Red			300				500		
	821	Light Terrazzo			300				500		
	820	Stucco Italiano			300				500		
	823	Travertino Tivoli			300				500		
	824	Volcano			300				500		
	825	Golden Quartzite			300				500		
	826	Canyon Grey			300				500		

Overview ALUCOBOND® minimum order quantities

Thickness: 4mm | Length: 2000 – 6800 mm | min. quantity per length: 100 m² | >4500 mm: 500 m²

all information subject to change

27.10.2025

surface			ALUCOBOND® PLUS					ALUCOBOND® A2			notes
	ref.no.	colour name	panel width					panel width			
			1000mm	1250mm	1500mm	1575mm	1750mm	1250mm	1500mm	1650mm	
			min. quantity [m²]	min. quantity [m²]	min. quantity [m²]	min. quantity [m²]	min. quantity [m²]	min. quantity [m²]	min. quantity [m²]	min. quantity [m²]	
Premium anodised	E5001	Bronze C32 Matt Finish			300						Sheet anodising with contact bands & shade variation length Matt and Brushed Finish only 3300 mm or 3700 mm; length Panelox® only 3100 mm available only in 4mm thickness, folding only possible with 90° angle, 135° is NOT possible
	E5002	Old Copper Matt Finish			300						
	E5141	Titanium Brushed Finish			300						
	E5142	Gold Brushed Finish			300						
	E5143	Bronze C33 Brushed Finish			300						
	E5144	Black Brushed Finish			300						
	E5281	Panelox Champagne			300						
	E5282	Panelox Basalt			300						
	E5285	Panelox Gold			300						
	E5283	Panelox Copper			300						
	E6000	real anodized E6/EV1 – 20 my (max. length: 6000 mm)		300	300						
special		millfinish	300	300	300			500 or)	500 or)		
		white primer	500 or)	500 or)	500 or)	500					
or) = on request											